AUTHOR INDEX

AKHTAR, F., 145 ANDERSON, L., 265 ANGYAL, S. J., 121 ANISUZZAMAN, A. K. M., 265

BACKINOWSKY, L. V., 61 BAER, H. H., 291 BOCK, K., 331, 354 BREG, J., 23 BRIMACOMBE, J. S., 37 BRUNS, W., 341 BUNDLE, D. R., 239

ČERNÝ, M., 349 CHEW, S., 161 CHIBA, T., 253 CHOAY, J., 253 CLASSON, B., 369

Defaye, J., 323 Dell, A., 313 Dessinges, A., 47 Drew, M. G. B., 145

FERRIER, R. J., 161 FRASER-REID, B., 99

Gadelle, A., 323 Garegg, P. J., 369 Gerken, M., 239 Glaudemans, C. P. J., 87 Greeves, D., 121 Guzman, J. F. B., 354

Haasnoot, C. A. G., 23 Harangi, J., 113 Hashimoto, H., 181 Holme, K. R., 87 Horito, S., 181 Horton, D., 305 Hough, L., 145

JACQUINET, J.-C., 253 JEANLOZ, R. W., 279 JEFFREY, G. A., 1 JUNG, G. L., 87

KABIR, A. K. M. S., 37 KLAFFKE, W., 201 KOCHETKOV, N. K., 61 KÖLL, P., 9 KOMINATO, K., 360 Lehmann, J., 87 Lemieux, R. U., 211 Lenfers, J.-B., 341 Leontein, K., 313 Lindberg, B., 313 Lindquist, U., 313 Lipták, A., 113 Littlemore, L., 121 Liu, Z., 369 Lundt, I., 331

MAIER, T., 169 MOOTOO, D. R., 99

Nakabayashi, S., 279 Navia, J. L., 265 Nifant'ev, N. E., 61 Numata, M., 73

Ogawa, S., 354, 360 Ogawa, T., 73 Oláh, V. A., 113

PEDERSEN, C., 323, 331 PETERS, T., 239 PETITOU, M., 253 POHL, S., 9

RADATUS, B., 291 REDLICH, H., 341, 349 RICHARDSON, A. C., 145 ROGERS, M., 313 ROMIJN, D., 23

SAAK, W., 9
SAMM, K., 341
SAMUELSSON, B., 369
SCHMIDT, R. R., 169
SHIBAYAMA, S., 73
SINAŸ, P., 253
SINCHAREONKUL, L. V., 145
SINNWELL, V., 161
SONNICHSEN, R., 331
SPOHR, Y., 211
SPRINGER, D., 201
SUAMI, T., 360
SUGIMOTO, M., 73
SVENSON, S. B., 313

Tamura, J., 181 Thiem, J., 201 Trnka, T., 349

LAY, H., 87

UMEZAWA, S., 133 USUI, T., 133

VAN HALBEEK, H., 23 VASELLA, A., 47 VISSER, R. A., 23 VLIEGENTHART, J. F. G., 23 WARREN, C. D., 279 WECKERLE, W., 305 WILLIAMS, U., 291 WRANGSELL, G., 313

YEON, Y., 1 YOSHIMURA, J., 181

SUBJECT INDEX

- Acetal and ester protecting-groups in the hydrogen fluoride-catalysed synthesis of D-fructose and L-sorbose difuranose dianhydrides, 323
- 2-Acetamido-2-deoxy-α-D-galactopyranosyl analogue of tunicamycin, synthesis of a, 360
- β-D-Allofuranose, 1,6-anhydro-, crystal structure of, 9
- β -L-Altrofuranose, 1,6-anhydro-, crystal structure of, 9
- 2-Amino-2-deoxy-4-O-(α and β -D-galactopyranosyl)-D-glucose, synthesis of derivatives of, 61
- 1,6-Anhydro-β-D-glucopyranose, preparation of, 349
- 1,6-Anhydrohexofuranoses, crystal structures of,
- Antifreeze glycoproteins of polar fish, synthesis of a close analog of the repeating unit of the, 265
- Antigenic determinants of the *Brucella* A antigen, synthesis of, utilizing methyl 4-azido-4,6-dideoxy-α-D-mannopyranoside efficiently derived from D-mannose, 239
- 3-Azi-1-methoxybutyl β -D-galactopyranoside, a photoaffinity label for monoclonal antigalactan antibodies of the V_HGAL 39.1/55.1 genefamily, 87
- Benzylidene acetals of aldopyranosides and 1,5anhydroalditols, reaction of butyllithium with, 305
- Blood-group determinants, synthetic, conformational, and immunochemical studies of modified Lewis b and Y human, 211
- Butyllithium, reaction of benzylidene acetals of aldopyranosides and 1,5-anhydroalditols with, 305
- Characterisation of four lactose monophosphates by application of ³¹P-, ¹³C-, and ¹H-n.m.r. spectroscopy, 23
- Chiral isoalkyl structures, nucleophilic ring opening in a carbohydrate nitrocyclopropane: a stereospecific approach to, 291
- Chromophoric dimeric furan, the crystal structure of an unusual, 1
- Combining site of the lectin IV of *Griffonia* simplicifolia, studies of modified Lewis b and Y human blood-group determinants to serve as probes for the, 211
- Complex formed from D-galacturonate ions and cations in solution, the structure of the, 121

- Crystal structure of an unusual chromophoric dimeric furan, 1
- Deoxyheptonolactones and anhydroheptonolactones, D-glycero-D-gulo-heptono-1,4-lactone as a precursor for the synthesis of, 331
- 3-Deoxy-6-thio-D-manno-2-octulosonic acid ("6-thio-KDO"), synthesis of, 369
- Destomycin C, a typical pseudo-trisaccharide of destomycin-group antibiotics, synthesis of, 181
- 7,8-Dideoxy-1,2:3,4-di-O-isopropylidene-β-Lglycero-D-galacto-oct-7-enopyranose, synthesis and osmylation of, and related studies, 37
- 2,6-Dideoxyoligosaccharides, α -L-(1 \rightarrow 4)-linked, synthesis, 201
- Disaccharide component of the orthosomycintype oligosaccharide antibiotics, synthesis of everninose, a non-reducing, 113
- 6,6'-Dithiosucrose, 6,6'-epidithiosucrose, and 6,6'-epithiosucrose, synthesis of, 145
- (3S,5S,6S)-6-Ethyl-3,5-dimethyltetrahydro-2*H*-pyran-2-one, synthesis of, 341
- Everninose, a non-reducing disaccharide component of the orthosomycin-type oligosaccharide antibiotics, synthesis of, 113
- D-Fructose and L-sorbose difuranose dianhydrides, acetal and ester protecting-groups in the hydrogen fluoride-catalysed synthesis of, 323
- β-D-Fructose 2,6-bisphosphate, synthesis of a non-isoteric isopolar monophosphonate analogue of, 47
- Furan, the crystal structure of an unusual chromophoric dimeric, 1
- Fused bipyranoses, studies related to the use of, for synthesis of polypropionate arrays, 99
- α-D-Galactofuranose, 1,6-anhydro-, crystal structure of, 9
- D-Galactopyranosyl)-D-glucose, synthesis of derivatives of 2-amino-2-deoxy-4-O-(α and β -, 61
- D-Galacturonate ions, structure of the complex formed in solution by cations and, 121
- β-D-Glucofuranose, 1,6-anhydro-, crystal structure of, 9
- β-D-Glucopyranose, 1,6-anhydro-, preparation of, 349

- Glycopeptide synthesis, protected heptasaccharide intermediate for, 279
- Glycoproteins of polar fish, synthesis of a close analog of the repeating unit of the antifreeze, 265
- Hematoside $[\alpha\text{-NeuGc-}(2\rightarrow 3)-\beta\text{-Gal-}(1\rightarrow 4)-\beta\text{-Glc-}(1\rightarrow 1)\text{-Cer}]$, a total synthesis of, 73
- Heparin, chemical synthesis of L-iduronic acidcontaining disaccharidic fragments of, 253
- Heptasaccharide-asparagine intermediate for glycopeptide synthesis, 279
- D-glycero-D-gulo-Heptono-1,4-lactone as a precursor for the synthesis of deoxyheptonolactones and anhydroheptonolactones, 331
- α-L-arabino-Hexose, 2,6-dideoxy-, (1→4)-linked, synthesis of di- and tri-saccharide containing, 201
- Hexoses, a ¹H- and ¹³C-n.m.r. spectroscopic analysis of six pseudo-, 354
- Hydrogen fluoride-catalysed synthesis of D-fructose and L-sorbose difuranose dianhydrides, acetal and ester protecting-groups in the, 323
- α-L-Idofuranose, 1,6-anhydro-, crystal structure of, 9
- L-Iduronic acid-containing disaccharidic fragments of heparin, chemical synthesis of, 253
- Lactose monophosphates, characterisation of four, by application of ³¹P, ¹³C-, and ¹H-n.m.r. spectroscopy, 23
- Lactosyl-ceramides, synthesis of D-ribo- and Llyxo-phytosphingosines and transformation into the corresponding, 169
- α -L-(1 \rightarrow 4)-Linked 7,6-dideoxyoligosaccharides, synthesis of, 201
- Methyl 4-azido-4,6-dideoxy-α-D-mannopyranoside efficiently derived from D-mannose, synthesis of antigenic determinants of the *Brucella* A antigen utilizing, 239
- Monoclonal antigalactan antibodies of the V_H GAL 39.1/55.1 gene-family, use of 3-azi-1-methoxybutyl β -D-galactopyranoside as a photoaffinity label for, 87
- Monophosphonate analogue of β -D-fructose 2,6-bisphosphate, synthesis of a non-isoteric isopolar, 47
- Neomycin B, total synthesis of, 133
- Nitrocyclopropane: a stereospecific approach to chiral isoalkyl structures, nucleophilic ring opening in a carbohydrate, 291
- N.m.r. spectroscopic analysis of six pseudohexoses, a ¹H- and ¹³C-, 354

- N.m.r. spectroscopy, characterisation of four lactose monophosphates by application of ³¹P, ¹³C-, and ¹H-, 23
- 3-Nonanone, (4S,6S,7S)-4,6-dimethyl-7-hydroxy-, synthesis of, 341
- Nucleophilic ring opening in a carbohydrate nitrocyclopropane: a stereospecific approach to chiral isoalkyl structures, 291
- Oct-7-enopyranose, synthesis and osmylation of 7,8-dideoxy-1,2:3,4-di-O-isopropylidene-β-L-glycero-D-galacto-, and related studies, 37
- 2-Octulosonic acid ("6-thio-KDO"), synthesis of 3-deoxy-6-thio-D-manno-, 369
- Photoaffinity label for monoclonal antigalactan antibodies of the V_H GAL 39.1/55.1 gene-family, use of 3-azi-1-methoxybutyl β -D-galactopyranoside as a , 87
- Phytosphingosines, synthesis of D-ribo- and Llyxo-, and transformation into the corresponding lactosyl-ceramides, 169
- Polysaccharide of *Salmonella thompson* serogroup $C_1(6,7)$, structural studies of the O-antigen, 313
- Protected heptasaccharide-asparagine intermediate for glycopeptide synthesis, 279
- Pseudohexoses, a ¹H- and ¹³C-n.m.r. spectroscopic analysis of six, 354
- Pseudo-trisaccharide (destomycin C) of destomycin-group antibiotics, synthesis of a typical,
- Pyranonaphthoquinones, an approach to the synthesis of, 161
- Reaction of butyllithium with benzylidene acetals of aldopyranosides and 1,5-anhydroalditols, 305
- Salmonella thompson serogroup C₁(6,7), structural studies of the O-antigen polysaccharide of, 313
- Serricornin, synthesis of, 341
- Steel reactor for the preparation of 1,6-anhydro- β -D-glucopyranose, 349
- Structural studies of the O-antigen polysaccharide of Salmonella thompson, serogroup $C_1(6,7)$, 313
- Structure of the complex formed from D-galacturonate ions and cations in solution, 121
- Studies related to the use of fused bipyranoses for synthesis of polypropionate arrays, 99
- Sucrose, synthesis of 6,6'-dithio-, 6,6'-epidithio-, and 6,6'-epithio-, 145
- Synthesis and osmylation of 7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene-β-L-glycero-D-galacto-oct-7-enopyranose and related studies, 37

- Synthesis of a 2-acetamido-2-deoxy-α-D-galactopyranosyl analogue of tunicamycin, 360
- Synthesis of a close analog of the repeating unit of the antifreeze glycoproteins of polar fish, 265
- Synthesis of a non-isoteric isopolar monophosphonate analogue of β -D-fructose 2,6-bisphosphate, 47
- Synthesis of antigenic determinants of the *Brucella* A antigen, utilizing methyl 4-azido-4,6-dideoxy-α-D-mannopyranoside efficiently derived from D-mannose, 239
- Synthesis of deoxyheptonolactones and anhydroheptonolactones, D-glycero-D-gulo-heptono-1,4-lactone as a precursor for the, 331
- Synthesis of 3-deoxy-6-thio-D-manno-2-octulosonic acid ("6-thio-KDO"), 369
- Synthesis of derivatives of 2-amino-2-deoxy-4-O- $(\alpha$ and β -D-galactopyranosyl)-D-glucose, 61
- Synthesis of destomycin C, a typical pseudo-trisaccharide of destomycin-group antibiotics, 181
- Synthesis of 6,6'-dithiosucrose, 6,6'-epidithiosucrose, and 6,6'-epithiosucrose, 145
- Synthesis of everninose, a non-reducing disaccharide component of the orthosomycintype oligosaccharide antibiotics, 113

- Synthesis of hematoside $[\alpha\text{-NeuGc-}(2\rightarrow 3)-\beta\text{-Gal-}(1\rightarrow 4)-\beta\text{-Glc-}(1\rightarrow 1)\text{-Cer}]$, a total, 73
- Synthesis of L-iduronic acid-containing disaccharidic fragments of heparin, 253
- Synthesis of neomycin B, total, 133
- Synthesis of D-ribo- and L-lyxo-phytosphingosine and transformation into the corresponding lactosyl-ceramides, 169
- Synthesis of polypropionate arrays, studies related to the use of fused bipyranoses for, 99
- Synthesis of pyranonaphthoquinones, an approach to the, 161
- Synthetic, conformational, and immunochemical studies of modified Lewis b and Y human blood-group determinants to serve as probes for the combining site of the lectin IV of *Griffonia simplicifolia*, 211
- α -D-Talofuranose, 1,6-anhydro-, crystal structure of, 9
- Total synthesis of neomycin B, 133
- Tunicamycin, synthesis of a 2-acetamido-2-deoxyα-D-galactopyranosyl analogue of, 360